15-441: Computer Networking

Lecture 3: Design Philosophy & Applications

Copyright © CMU, 2007-2010.

Lecture Overview

- Last time:
  - Protocol stacks and layering
  - OSI and TCP/IP models
- Application requirements
- Application examples
  - ftp
  - http
- Internet Architecture & Performance intro

Applications and Application-Layer Protocols

- Application: communicating, distributed processes
  - Running in network hosts in "user space"
  - Exchange messages to implement app
  - e.g., email, file transfer, the Web
- Application-layer protocols
  - One "piece" of an app
  - Define messages exchanged by apps and actions taken
  - User services provided by lower layer protocols



Client-Server Paradigm

Typical network app has two pieces: *client* and *server*

Client:

- Initiates contact with server ("speaks first")
- Typically requests service from server,
- For Web, client is implemented in browser; for e-mail, in mail reader

Server:

- Provides requested service to client
- e.g., Web server sends requested Web page, mail server delivers e-mail



Server and Client

Server and Client exchange messages over the network through a common Socket API



Network Addressing Analogy



What Service Does an Application Need?

Data loss

Timing

Bandwidth

Transport Service Requirements of Common Apps

Application	Data loss	Bandwidth	Time Sensitive
file transfer	no loss	elastic	no
e-mail	no loss	elastic	no
web documents	no loss	elastic	no
real-time audio/ video	loss-tolerant	audio: 5Kb-1Mb video:10Kb-5Mb	yes, 100's msec
stored audio/video	loss-tolerant	same as above	yes, few secs
interactive games	loss-tolerant	few Kbps	yes, 100's msec
financial apps	no loss	elastic	yes and no

Other Requirements

- Network reliability
  - Network service must always be available
- Security: privacy, denial of service, authentication, …
- Scalability.
  - Scale to large numbers of users, traffic flows, …
- Manageability: monitoring, control, …

User Datagram Protocol(UDP): An Analogy

UDP	Postal Mail
• Single socket to receive messages • No guarantee of delivery • Not necessarily in-order delivery • Datagram – independent packets • Must address each packet	• Single mailbox to receive letters • Unreliable ☹ • Not necessarily in-order delivery • Letters sent independently • Must address each reply

Example UDP applications
Multimedia, voice over IP

Transmission Control Protocol (TCP): An Analogy

TCP	Telephone Call
• Reliable – guarantee delivery • Byte stream – in-order delivery • Connection-oriented – single socket per connection • Setup connection followed by data transfer	• Guaranteed delivery • In-order delivery • Connection-oriented • Setup connection followed by conversation

Example TCP applications
Web, Email, Telnet

FTP: The File Transfer Protocol



- Transfer file to/from remote host
- Client/server model
  - Client: side that initiates transfer (either to/from remote)
  - Server: remote host
- ftp: RFC 959
- ftp server: port 21