

# Introduction to Linear Algebra 2270-1

## Final Exam Fall 2007

**Instructions.** The time allowed is 120 minutes. The examination consists of five problems, one for each of chapters 3, 4, 5, 6, 7, each problem with multiple parts. A chapter represents 25 minutes on the final exam. Each problem represents several textbook problems numbered (a), (b), (c),  $\dots$ . Please solve enough parts to make 100% on each chapter. Choose the problems to be graded by check-mark  X; the credits should add to 100.

Calculators, books, notes and computers are not allowed.

Answer checks are not expected or required. First drafts are expected, not complete presentations.

Please submit **exactly five** separately stapled packages of problems.

**Keep this page for your records.**

**Ch3. (Subspaces of  $\mathcal{R}^n$  and Their Dimensions)**

[30%] Ch3(a): Let  $A = \begin{bmatrix} 1 & 0 & 1 & 1 & 0 \\ 2 & 1 & 1 & 0 & 0 \\ 1 & 1 & 0 & -1 & 0 \\ 4 & 2 & 2 & 0 & 0 \end{bmatrix}$ . Find bases for the image and kernel of  $A$ .

[40%] Ch3(b): Let  $\mathbf{v}_1, \mathbf{v}_2, \mathbf{v}_3$  the columns of the matrix  $A = \begin{bmatrix} 1 & 0 & 1 \\ 1 & 1 & 1 \\ 1 & 1 & 0 \end{bmatrix}$ . Define  $T(\mathbf{x}) = A\mathbf{x}$ .

Find the matrix of  $T$  relative to the basis  $\mathbf{v}_1 + \mathbf{v}_3, \mathbf{v}_2 + \mathbf{v}_3, \mathbf{v}_1 + \mathbf{v}_2$ .

[30%] Ch3(c): Let  $V$  be the vector space of all continuously differentiable functions  $f(x)$  defined on  $0 \leq x \leq 1$ . Let  $S$  be the subset of  $V$  defined by  $f(1) = f'(0) + \int_0^1 f'(x)x^2 dx$ ,  $f'(1/3) = f(1/3)$ . Prove that  $S$  is a subspace of  $V$ .

[30%] Ch3(d):

(1) [10%] Prove that the kernel of a matrix defines a subspace  $S$  of  $\mathcal{R}^n$ .

(2) [10%] Find a basis for the subspace  $S = \text{span}\{e^x, \sin x, 1 - \sin x, 2 + x, 3 + x\}$ , in the linear space  $V$  of all functions on the real line.

(3) [10%] Prove that the intersection of two subspaces  $S_1$  and  $S_2$  is also a subspace.

[40%] Ch3(e): Let  $V$  be the vector space of all data packages  $\mathbf{v} = \begin{pmatrix} f \\ x_0 \\ y_0 \end{pmatrix}$ , where  $f$  is a continuous

function defined on  $0 \leq x \leq 1$  and  $x_0, y_0$  are real values. Define  $\boxed{+}$  and  $\boxed{\cdot}$  componentwise. Let  $S$  be the subset of  $V$  defined by  $f(0) = f(1)$ ,  $f(1/2) + y_0 = 0$ . Prove or disprove:  $S$  is a subspace of  $V$ .

**Ch4. (Linear Spaces)**

[30%] Ch4(a): Let  $\mathbf{x} = \begin{pmatrix} 1 \\ 1 \\ 0 \end{pmatrix}$ .

Let  $V$  be the linear space of all  $3 \times 3$  matrices. Let  $S$  be the set of all  $3 \times 3$  matrices  $A$  such that  $\mathbf{x}$  belongs to the kernel of  $A$ . Prove or disprove:  $S$  is a subspace of  $V$ .

[40%] Ch4(b): Let  $V$  be the linear space of all functions  $f(x) = c_0 + c_1x + c_2x^2$ . Define  $T(f) = c_2(1-x)^2$  from  $V$  to  $V$ . Find bases for the image and kernel of  $T$  and report the rank and nullity of  $T$ .

[30%] Ch4(c): Let  $V$  be the linear space of all real  $3 \times 3$  matrices  $M$ . Let  $T$  be defined on  $V$  by  $T(\mathbf{M}) = \mathbf{N}$  where  $\mathbf{N} = \mathbf{M}$  except for the lower triangle, which is all zeros. Find bases for the image and kernel of  $T$ .

[40%] Ch4(d): Let  $A = \begin{pmatrix} 0 & 3 \\ 0 & 0 \end{pmatrix}$ . Find the set  $X$  of all matrices  $B$  not similar to  $A$ . For example,  $B = 0$  is in  $X$ , because  $AS = SB$  implies  $AS = 0$  and then  $A = 0$ , a false statement.