

CS640: Introduction to Computer Networks

Aditya Akella

Lecture 18 -
Improving Web Experience:
Caching and CDNs

HTTP Caching

- Why caching?
- Clients often cache documents
 - Challenge: update of documents
 - If-Modified-Since requests to check
 - HTTP 0.9/1.0 used just date
 - HTTP 1.1 has an opaque "entity tag" (could be a file signature, etc.) as well
- When/how often should the original be checked for changes?
 - Check every time?
 - Check each session? Day? Etc?
 - Use "Expires" header
 - If no Expires, often use Last-Modified as estimate

2

Example Cache Check Request

```
GET / HTTP/1.1
Accept: */*
Accept-Language: en-us
Accept-Encoding: gzip, deflate
If-Modified-Since: Mon, 29 Jan 2001 17:54:18 GMT
If-None-Match: "7a11f-10ed-3a75ae4a"
User-Agent: Mozilla/4.0 (compatible; MSIE 5.5; Windows NT 5.0)
Host: www.intel-iris.net
Connection: Keep-Alive
```

3

Example Cache Check Response

HTTP/1.1 304 Not Modified
Date: Tue, 27 Mar 2001 03:50:51 GMT
Server: Apache/1.3.14 (Unix) (Red-Hat/Linux)
mod_ssl/2.7.1 OpenSSL/0.9.5a DAV/1.0.2
PHP/4.0.1pl2 mod_perl/1.24
Connection: Keep-Alive
Keep-Alive: timeout=15, max=100
ETag: "7a11f-10ed-3a75ae4a"

4


Web Caches

Assumptions

- Average object size = 100,000 bits
- Avg. request rate from institution's browser to origin servers = 15/sec
- Delay from institutional router to any origin server and back to router = 2 sec

Consequences

- Utilization on LAN = 15%
- Utilization on access link = 100%
- Total delay = Internet delay + access delay + LAN delay
- 2 sec + minutes + milliseconds



5


Web Caches

Possible solution

- Increase bandwidth of access link to, say, 10 Mbps
- Often a costly upgrade

Consequences

- Utilization on LAN = 15%
- Utilization on access link = 15%
- Total delay = Internet delay + access delay + LAN delay
- 2 sec + msec + msec



6


Web Caches

Install cache

- Suppose hit rate is .4

Consequence

- 40% requests will be satisfied almost immediately (say 10 msec)
- 60% requests satisfied by origin server
- Utilization of access link reduced to 60%, resulting in negligible delays
- Weighted average of delays
 - $.6 * 2 \text{ sec} + .4 * 10 \text{ msec} = 1.3 \text{ secs}$




Web Proxy Caches

- User configures browser: Web accesses via cache

- Browser sends all HTTP requests to cache

- Object in cache: cache returns object
- Else cache requests object from origin server, then returns object to client



8

Problems

- Over 50% of all HTTP objects are uncacheable - why?
- Not easily solvable
 - Dynamic data → stock prices, scores, web cams
 - CGI scripts → results based on passed parameters
 - SSL → encrypted data is not cacheable
 - Most web clients don't handle mixed pages well → many generic objects transferred with SSL
 - Cookies → results may be based on passed data
 - Hit metering → owner wants to measure # of hits for revenue, etc.

9
