

Worksheet #8

I. Find the first 4 terms in the Taylor Series centered at $x=c$ for the following functions.

1. $f(x) = \sin x$, $c = \pi/3$

2. $f(x) = \ln(1+3x)$, $c = 2$

3. $f(x) = \sqrt{1+x}$, $c = 0$

4. $f(x) = e^{3x}$, $c = 1$.

II. Find the radius and interval of convergence for the following

5. $f(x) = \sum_{n=1}^{\infty} \frac{(-1)^{n+1} x^{2n}}{3^n}$

9. $f(x) = \sum_{n=1}^{\infty} 3^{2n+1} (x-4)^n$

6. $f(x) = \sum_{n=1}^{\infty} \frac{(nx)^n}{n!}$

10. $f(x) = \sum_{n=1}^{\infty} \frac{(n+1)x^{3n}}{8^n}$

7. $f(x) = \sum_{n=1}^{\infty} \frac{2^n x^n}{n!}$

11. $f(x) = \sum_{n=1}^{\infty} \frac{4^n x^{2n+1}}{n!}$

8. $f(x) = \sum_{n=1}^{\infty} \frac{(2n)! x^n}{n^n}$

12. $f(x) = \sum_{n=1}^{\infty} \frac{(-1)^n (x+1)^n}{4n+1}$

III. Write down the Taylor series centered at $x=0$ for the following functions both in summation notation and by writing out the first 4 terms.

In each case, give the radius of convergence.

13. $f(x) = x e^{5x}$

17. $f(x) = \cos 5x$

14. $f(x) = \frac{4}{3-2x}$

18. $f(x) = \frac{1}{1+4x}$

15. $f(x) = 5 \sin x^2$

19. $f(x) = 4x^3 \sin 4x$

16. $f(x) = \frac{2x}{1+x^2}$

20. $f(x) = \frac{4}{8x-1}$

IV. Integrating and Differentiating Taylor Series.

Repeat the directions from the previous section.

21. $f(x) = \frac{1}{(1-x)^2}$

24. $f(x) = \arctan 3x$

22. $f(x) = \frac{3x}{(1+x)^2}$

25. $f(x) = \ln(1+x)$

23. $f(x) = \frac{2x}{(3+4x^3)^2}$

26. $f(x) = x^2 \ln(1-3x^2)$

V. Write out the first 4 terms in the following Taylor Series.

27. $f(x) = (x^2+1) \sin x$

29. $f(x) = \frac{e^x}{1-x}$

28. $f(x) = e^x \cos x$

30. $f(x) = \sin 2x + 3 \cos x.$

VI. Applications

31. Find the following limits using Taylor series.

a) $\lim_{x \rightarrow 0} \frac{x \sin x - x^2}{\cos x - 1}$

c) $\lim_{x \rightarrow 0} \frac{\cos(x^2) - 1}{x^3(e^x - 1)}$

b) $\lim_{x \rightarrow 0} \frac{e^{x^2} - 1 - x^2}{\sin 2x}$

d) $\lim_{x \rightarrow 0} \frac{\sin 3x - 3xe^x}{4 \cos 4x - 4}$

32. Using the Taylor series for $\arctan x$, show $\frac{\pi}{4} = 1 - \frac{1}{3} + \frac{1}{5} - \frac{1}{7} + \dots$ given that the series converges at $x=1$ (which we haven't shown).

33. Using the Taylor series for $\ln(1+x)$, show $\ln 2 = \frac{1}{2} + \frac{1}{8} + \frac{1}{24} - \frac{1}{64} + \dots$

BE CAREFUL.

34. Use the first 3 terms in the Taylor series of the following integrands to approximate their values. Compare with the answers given by a computer.

a) $\int_0^1 \cos x^2 dx$

b) $\int_0^1 e^{x^2} dx$

Taylor Series Additional Questions

35. Suppose the power series for an infinitely differentiable function $f(x)$ is given by:

$$f(x) = \sum_{k=0}^{\infty} \frac{(-1)^k}{4^k} (x-3)^{2k}.$$

- Find the radius of convergence.
- Find the open interval of convergence (do not consider convergence at the endpoints).
- Determine if the series for $f(6)$ converges.
- Find $f(3)$, $f'(3)$, $f''(3)$, and $f'''(3)$.

36. Suppose the power series for an infinitely differentiable function $f(x)$ is given by:

$$f(x) = \sum_{k=1}^{\infty} \frac{x^{k+1}}{2^k}$$

- Find the radius of convergence.
- Find the first 4 nonzero terms in the power series for $g(x) = 2x^2 f(3x)$.
- Determine if the series for $f'(3)$ converges or diverges.
- Find $f''(0)$ by:
 - Using the definition $a_k = \frac{f^{(k)}(c)}{k!}$
 - By writing out the first 4 nonzero terms in the series for $f(x)$, differentiating twice, and plugging in $x=0$.